

B.

Twilight

Twilight stands out from the rest as an innovative heterogeneous comfort vinyl. Ideal for the eco-conscious, it carries a 40% reduced carbon footprint and is made with phthalate-free PVC, entirely sourced from bio-circular renewable resources. Twilight offers effective acoustic reduction and durability, ideal for stores, offices and homes. As the first eco-friendly vinyl of this kind in South Africa, Twilight features advanced digital printing technology with hyper-realistic visuals with no visible repeat. Available in 3 eye-catching patterns to ensure timeless design appeal that cannot be matched.

Extended Specifications

Type of Installation:	Heterogeneous Comfort Vinyl Sheetting
Use Classification: (EN 1307)	Heavy Residential / Light Commercial
Wear Layer Thickness:	0.40 (mm) 0.015 (in)
Total Thickness: (ISO 8543)	3.0 (mm) 0.11 (in)
Total Weight: (ISO 8543)	1850 (g/m²) 54.56 (oz/yd²)
Roll Size (l x w):	24 × 2.0 (m) 944.88 × 78.74 (in)
Backing Type:	Polymer Foam Backing
Chemical Resistance: (EN ISO 26987)	Resistant
Fire Classification: (EN 13501-1)	Bfl-s1
Slip Resistance: (DIN 51130)	R10
Residual Indentation: (EN ISO 24343-1)	≤0.35mm




B.

Extended Specifications

Thermal Conductivity: (EN 12524)	0.11 W/ (m.K)
Thermal Resistance: (ISO 8302)	0.028 m².K/W
Electrostatic Propensity: (Body Voltage Test) (EN 1815 Method A)	0.2kV
Dimensional Stability: (EN ISO 23999)	≤0.40%
Colour Fastness: (ISO 105-B02)	>6 Grade
Impact Sound Improvement: (EN ISO 717/2)	Δ Lw 19 dB
Castor Chair Suitability: (EN ISO 4918)	Suitable, (type wheel H)
Underfloor Heating: (EN 12667)	Suitable
VOC Emissions:	Floorscore SCS Global Services
Furniture Leg Resistance: (ISO 16581) EN424	No Damage
Pendulum Test: (CENTS 15676:2007)	42+
Cold Welding (Werner Muller):	Type A
Delamination Test: (EN ISO 24345)	≥50N/50mm
Curling: (EN ISO 23999)	≤8mm
Abrasion Group: (EN 660-2)	T class
Warranty:	10 year Heavy Residential 5 year Light Commercial



B.



Grade
Pattern repeat:
100cm x 100cm




Shade
Pattern repeat:
200cm x 100cm



Silhouette
Pattern repeat:
200cm x 100cm

Twilight



Bill of Quantities

- Belgotex TWILIGHT 3.0mm width Heavy Residential / Light Commercial Use Heterogeneous Comfort Vinyl Sheeting.
- 24 × 2.0m with 0.40mm wear layer.
- 10-year residential warranty / 5-year Light Commercial warranty.
- This product is to be laid in accordance with SANS 10070 fitting code of practice.
- Belgotex recommends the use of a 60mm unhooded soft castor, with a 23mm or 38mm diameter, designed for a 60kg loading capacity per a castor. Recommended material is high impact nylon core and hub with soft grey/black PU treads on the wheel.

Product characteristics may vary due to the nature of manufacturing. To combat colour variance do not install more than one dye lot in a single installation. Sample swatches have been cut from an overall design; therefore, the decoration and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.